

Tobacco Institute Testing Laboratory



5454 Wisconsin Ave. Chevy Chase, Maryland 20015 (301) 652-2042







RECEIVED

H WAKEHAM

February 20, 1975

TO:

Board of Directors of T.I.T.L.

FROM:

William L. Steele

SUBJECT:

Test Results for Market Sample No.16

Enclosed are the test results for the latest survey, Market Sample 16. The data for this test show an overall mean increase of 0.5 mg "tar" and 0.06 mg nicotine.

The data presentation has been changed slightly by the addition of two new listings for "tar" and nicotine, one listing brand results by company and one listing brand results alphabetically without other data and statistics. These two plus the asending "tar" list are bound separately.

Results of statistically testing individual brands for significant changes are attached. Plus and minus signs indicate the direction of change since the last test. How many of these changes can be accounted for by test variability, real brand changes, or other factors is unknown.

Ranking of brands according to "tar" values was done prior to rounding. Using an additional decimal point, virtually eliminates ties.

WLS/ps Enclosure

The Board of Directors of T.I.T.L.

Dr. William W. Bates Dr. Ivor W. Hughes Dr. Preston H. Leake

Dr. Murray Senkus Dr. Alexander W. Spears, III

Dr. Helmut Wakeham

Dr. W. B. Bennett, Jr. cc: Senator Earle C. Clements Mr. W. Brooks George Mr. Thomas W. Holley Mr. Horace R. Kornegay

Mr. Frank Resnik Mr. Allan Topol

1111